

In URTI, LRTI, Typhoid, Bacterial Diarrhoea & Urogenital Infections

AZYBOT[®] $\frac{250}{500}$ LB

Azithromycin 250/500 mg + Lactobacillus **Tablets**

AZITHROMYCIN

More stable in acidic pH
Longer half life
Convenient once a day dosage

LACTOBACILLUS

It is used for treating and preventing diarrhea
It is used for skin disorders such as fever blisters, canker sores, eczema (allergic dermatitis) and acne.

Indications:

- Upper respiratory tract infections
- Lower respiratory tract infections
- Otitis media
- Skin structure & Soft tissue infections



AZYBOT[®] $\frac{250}{500}$ LB Maximum action in Deep Infections

A fibrillar protein made up of 3 long chains of amino acids

CEPIEN-FIT[®]

**Collagen peptide type II + Sodium Hyaluronate +
Chondroitin Sulphate Sodium + Vitamin C + Rosehips Tab**

COLLAGEN PEPTIDES

are a versatile source of protein and an important element of healthy nutrition. Their nutritional and physiological properties promote the health of bones and joints, and contribute to beautiful skin.

SODIUM HYALURONATE

is similar to the fluid that surrounds the joints in your body. This fluid acts as a lubricant and shock absorber for the joints. Sodium hyaluronate is used to treat knee pain caused by osteoarthritis. Sodium hyaluronate is usually given when other arthritis medications have not been effective.

CHONDROITIN

is a dietary supplement and a vital part of cartilage. Studies have found that taking chondroitin can prevent cartilage breaking down and can also stimulate its repair mechanisms. Chondroitin has been tested in at least 22 RCTs for osteoarthritis.

VITAMIN C

known as ascorbic acid, has several important functions. helping to protect cells and keeping them healthy. maintaining healthy skin, blood vessels, bones and cartilage. helping with wound healing.

ROSEHIPS

suggested uses include as a rich source of Vitamin C, with about 1700-2000 mg per 100 g in dried product; remedy for rheumatoid arthritis; reduces symptoms of knee and hip osteoarthritis; helps the immune system to fight off foreign invaders and out of control cells; facilitates fat metabolism; protects tissues from free radical damage

Indications:

- ★ Highly bioactive and bioavailable
- ★ Promote the health of bones and joints
- ★ Treat knee pain repair mechanisms
- ★ Protect cells and keeping them healthy maintaining healthy skin, blood vessels, bones
- ★ Remedy for rheumatoid arthritis; and hip osteoarthritis;
- ★ Promotes cartilage lubrication
- ★ Protects tissues from free radical damage



CEPIEN-FIT[®]

Protection of bones at the joints

When the need for calcium is high

CIKCAL-MZ[®]

Calcium Citrate 1000 Mg + Vit. D3 200 I.u. + Elemental Calcium 210 Mg+
Magnesium 100 Mg + Zinc 4 Mg Tablets

Calcium Citrate -

The Best absorbed calcium far superior than oyster shell calcium

Unlike oyster shell Calcium Citrate

- ★ Does not interfere with iron absorption
- ★ Lowers risk of renal stone formation
- ★ Can be taken with or without food
- ★ Does not cause constipation/
bowel gas discomfort

Indications:

- ★ Osteoporosis
- ★ Pregnancy & Lactation
- ★ Chronic Renal Failure



Also available :

CIKCAL-D3[®]

Cholecalciferol 60000 I.U. Capsules/Sachet

CIKCAL-MZ[®] Higher bio-availability compared to calcium Carbonate
Excellent bone mineral deposition

Be Right in choosing a Steroidal Therapy

COBCOT[®] **6 mg**
12 mg

Diflazacort 6 mg Tablets

DEFLAZACORT

is used to treat Duchenne muscular dystrophy (DMD; a progressive disease in which the muscles do not function properly) in adults and children

- ★ It is a glucocorticoid used as a antiinflammatory and immunosuppressant
- ★ Shows Pronounced anti-inflammatory & immunosuppressive actions
- ★ Better potency compared to prednisolone in various diseased conditions
- ★ Superior safety profile ensures better long term use

Indications:

- ★ Asthma
- ★ Leukemia
- ★ Ulcerative Colitis
- ★ Autoimmune Hepatitis
- ★ Dermatological Conditions
- ★ Rheumatoid Arthritis
- ★ Various Inflammatory Conditions

Also available :

COBCOT[®]
Diflazacort 12 mg Tablets



COBCOT[®] The Right choice Steroidal Therapy

Vital for healthy nerves as it Protects against
Neurological diseases & ageing

COBCOT-PLUS[®]

Methylcobalamin 1500 mcg + Alpha Lipoic Acid 100 mg + Vit B63 mg
+Thiamine 10 mg + Folic Acid 1.5 mg Capsule

METHYLCOBALAMIN

The Bio-active form of Vitamin B12

THIAMINE

Maintains normal Functioning of Nerves

ALPHA LIPOIC ACID

The Natural antioxidant, Preserves nerves

FOLIC ACID

Helps in the metabolism of amino acids



Indications:

- ★ Diabetic Neuropathy
- ★ Drug Induced Neuropathy
- ★ Peripheral Neuropathy
- ★ Bell's Palsy
- ★ Cardiovascular effects of Homocysteinemia
- ★ Dementia
- ★ Neuralgia
- ★ Sleep-wake Disorders

Also available :

COBCOT-PLUS[®]

Methylcobalamin 1000 mcg + Vitamin B6 100 mg
+Niacinamide 100 mg + D-panthenol 50 mg
Injection

COBCOT-2500[®]

Methylcobalamin 2500 mcg
Injection

COBCOT-CA[®]

Calcium Citrate 1000 mg +
Methylcobalamin 1500 mcg
+ Calcitriol 1.25 mg + Zinc
Soft Gel Capsules

COBCOT-PLUS[®] Extinguish Neuropathic Sensation

In overcoming Bacterial Infections Caused by BETA LACTAM RESISTANT PATHOGENS

CPOLID-CLTM

Cefpodoxime 200 Mg + Clavulanic Acid 125 Mg **Tablets**

CEFPODOXIME

- Excellent bactericidal action kills bacteria by interfering with cell wall synthesis.
- Widest spectrum of action.
- Stable in presence of β -lactamase enzyme.
- Excellent tolerability with convenient BID regimen.

CLAVULANIC ACID

- Protects deactivation of Cefpodoxime & Enhances Its antibacterial spectrum
- Ensures additional coverage of variety of microbes resistant to cefpodoxime

Indications:

- Upper and Lower Respiratory Tract Infections
- Urinary Tract Infections
- Acute Maxillary Sinusitis
- Skin & Soft Tissue Infections
- Typhoid Fever
- General Gonorrhea
- Pharyngitis & Tonsillitis
- Acute Community Acquired Pneumonia

Also available :

CPOLID-CLTM

Cefpodoxime 50 mg + Clavulanic Acid 31.25 mg
Dry Syrup with water



CPOLID-CLTM

In Overcoming Bacterial Infections Caused by
Beta Lactam Resistant Pathogens.

Complete Cure in Complicated infections

CPOLID-OTM

Cefpodoxime 200 mg + Ofloxacin 200 mg Tablets

CEFPODOXIME

Cefpodoxime proxetil is a prodrug of active metabolite. Cefpodoxime proxetil is a bactericidal and kills bacteria by interfering with the synthesis of the bacterial cell wall. It is stable in the presence of beta Lactamase

OFLOXACIN

- Belongs to Fluoroquinolones group of Antimicrobials
- Inhibits the enzyme DNA-gyrase needed for replication of DNA:

Indications:

- Acute Otitis Media
- Urinary tract infections
- Sinusitis
- Pharyngitis & Tonsillitis
- Skin & Skin structure Infections
- Uncomplicated GI. tract infection
- Cervical & Anorectal Gonorrhoea

Also available :

CPOLID-50TM

Cefpodoxime 50 mg
Dry Syrup with water

CPOLID-100TM

Cefpodoxime 100 mg
Dry Syrup with water



CPOLID-OTM

High Efficacy, Max Coverage

Superior resolution for Pain associate with oedema

DAKFEN[®]-APS

Aceclofenac 100 mg + Paracetamol 325 mg + Serratiopeptidase 15 mg Tablets

ACECLOFENAC

is a non-steroidal anti-inflammatory drugs (NSAID). It works by blocking the release of certain chemical messengers that cause pain

PARACETAMOL

It's used to reduce a high temperature. It's available combined with other painkillers and anti-sickness medicines. It's also an ingredient in a wide range of cold and flu remedies.

SERRATIOPEPTIDASE

It's produced by bacteria in the digestive tract of silkworms and allows the emerging moth to digest and dissolve its cocoon.

- ★ An outstanding anti-Inflammatory & analgesic profile.
- ★ Rapidly action Localized inflammation.
- ★ Serratiopeptidase having anti-oedemic & fibrinolytic activity in addition to Anti-inflammatory.

Indications:

- ★ Rheumatic Arthritis
- ★ Osteoarthritis
- ★ Dental abscess
- ★ Fractures
- ★ Low Back Pain & PID



Also available :

DAKFEN[®]-AP

Aceclofenac 100 mg +
Paracetamol 325 mg Tablets

DAKFEN[®]-AP

Aceclofenac 50 mg +
Paracetamol 125 mg Syrup

DAKFEN[®]-APS Perfect combination... Perfect result...

Superior resolution for Pain associate with oedema

DAKFEN-DPS[®]

Declofenac Potassium 50 mg + Paracetamol 325 mg + Serratiopeptidase 15 mg Tablets

DICLOFENAC

is used to relieve pain, swelling (inflammation), and joint stiffness caused by arthritis. Reducing these symptoms helps you do more

PARACETAMOL

It's used to reduce a high temperature. It's available combined with other painkillers and anti-sickness medicines. It's also an ingredient in a wide range of cold and flu remedies.

SERRATIOPEPTIDASE

It's produced by bacteria in the digestive tract of silkworms and allows the emerging moth to digest and dissolve its cocoon.

- ★ An outstanding anti-Inflammatory & analgesic profile.
- ★ Rapidly action Localized inflammation.
- ★ Serratiopeptidase having anti-oedemic & fibrinolytic activity in addition to Anti-inflammatory.

Indications:

- ★ Rheumatic Arthritis
- ★ Osteoarthritis
- ★ Dental abscess
- ★ Fractures
- ★ Low Back Pain & PID



Also available :

DAKFEN-DP[®]

Declofenac Potassium 50 mg +
Paracetamol 325 mg Tablets

DAKFEN-AQ[®]

Declofenac Sodium 75 mg Injection

DAKFEN-Gel[®]

Declofenac Diethylamine + Linseed Oil +
Methyl Salicylate & Menthol Gel Tube

DAKFEN-DPS[®]

Provides Powerful relief form any kinds of acute pain

The target specific pain reliever

EVATOX-THTM

Etoricoxib 60 mg + Thiocolchicoside 4 mg Tablets

ETORICOXIB

is a medicine called a non-steroidal anti-inflammatory drug. It is also known as an 'NSAID'. Tell your doctor if you have ever had an allergic reaction to any other anti-inflammatory medicine.

- The specific COX-2 Inhibitor
- Known for its minimum suppression of COX-1 so no GI related adverse effects.
- Provides superior pain relief compared to other agents.
- Once a day dose so high patient compliance.
- Single dose of oral Etoricoxib produces high levels of good quality pain relief after surgery. It is better than other commonly used analgesics.

THIOLCHICOSIDE

is a muscle relaxant. It works on the centres in the brain and spinal cord to relieve muscle stiffness or spasm without reduction in strength.

Indications:

- ★ Arthritis
- ★ Post surgical pain management
- ★ Spondylitis
- ★ Acute Low back pain

Also available :

EVATOXTM

Getamycin + Clotrimazole + Lignocaine HCL
+ Beclomethasone Dipropionate Ear Drop



EVATOX-THTM

Pain Relief at its Best

Fight infections with a Might

FIXQUE-[®] $\frac{100}{200}$ LB

Cefixime 100 mg + Lactobacillus 60 million Spores **Tablets**
Cefixime 200 mg + Lactobacillus 60 million Spores **Tablets**

CEFIXIME

is used to treat certain infections caused by bacteria such as bronchitis (infection of the airway tubes leading to the lungs); gonorrhea (a sexually transmitted disease); and infections of the ears, throat, tonsils, and urinary tract.

- ★ Covers strains not responding to conventional therapies
- ★ Excellent penetration in respiratory tissue & bile
- ★ Total eradication of pathogens
- ★ Injectable efficacy in oral therapy
- ★ Quicker fever resolution/infection control

Indications:

- ★ Cystitis
- ★ Tonsillitis
- ★ Urethritis
- ★ Lobar, Broncho Pneumonia
- ★ Pyelonephritis
- ★ Biliary Tract Infections
- ★ Pharyngitis

LACTOBACILLUS

Lactobacillus is a genus of Gram-positive, aerotolerant anaerobes or microaerophilic, rod-shaped, non-spore-forming bacteria. They are a major part of the lactic acid bacteria group (i.e., they convert sugars to lactic acid).



Also available :

FIXQUE-[®] 50LB

Cefixime 50 mg + Lactobacillus 60 million Spores
Dry Syrup with water

FIXQUE-[®] $\frac{100}{200}$ LB Treat Infections with Care

The New Generation of Combination for
Fight Against Various Types of Infections

FIXQUE-0[®]

Cefixime 200 mg + Ofloxacin 200 mg **Tablets**

CEFIXIME

is used to treat certain infections caused by bacteria such as bronchitis (infection of the airway tubes leading to the lungs); gonorrhea (a sexually transmitted disease); and infections of the ears, throat, tonsils, and urinary tract.

OFLOXACIN

Ofloxacin is in a class of antibiotics called fluoroquinolones. It works by killing bacteria that cause infections. Antibiotics such as ofloxacin will not work for colds, flu, or other viral infections.

Indications:

- ★ **RTI**
Skin &
Soft Tissue Infections
- ★ **UTI**
Secondary Infection
with Amoebiasis
- ★ **Typhoid Fever**
Ent Infections

Also available :

FIXQUE-0[®]

Cefixime 50 mg + Ofloxacin 50 mg
Dry Syrup with Water



FIXQUE-0[®] The new generation combination of fight against various G.I. Infection

Potent Fluorquinolone derivative with bactericidal activity against a wide range of Gram + ve & Gram - ve Pathogenic bacteria

FIXQUE-OF[®]

Ofloxacin 200 mg Tablets

OFLOXACIN

Ofloxacin is in a class of antibiotics called fluoroquinolones.

It works by killing bacteria that cause infections. Antibiotics such as ofloxacin will not work for colds, flu, or other viral infections.

Indications:

- ★ Pyrexia of Unknown Origin
- ★ Typhoid Fever
- ★ Complicated & Uncomplicated Uti
- ★ Surgical Prophylaxis
- ★ Sink & Soft Tissue Infections
- ★ UTI & STD
- ★ Pelvic inflammatory disease
- ★ External eye infections
- ★ Conjunctivitis
- ★ Blepharitis
- ★ Keratoconjunctivitis
- ★ Dacryocystitis



Also available :

FIXQUE-OF[®]

Ofloxacin Eye & Ear Drop

FIXQUE-OF-OZ[®]

Ofloxacin 200 mg + Ornidazole 500 mg.

FIXQUE-O[®] The STRENGTH to STRIKE HARD against infections

Instant energy & Grow Emunity

FLUGEM-ECZTM

Vitamin E 400 mg + Vitamin C 400 mg + Zinc 22.5 mg. Tablets & Syrup

VITAMIN E

is an important vitamin required for the proper function of many organs in the body. It is also an antioxidant.

VITAMIN C

Vitamin C, also known as ascorbic acid, is necessary for the growth, development and repair of all body tissues. It's involved in many body functions, including formation of collagen, absorption of iron, the proper functioning of the immune system, wound healing, and the maintenance of cartilage, bones, and teeth.

ZINC

is the most-abundant trace mineral in your body — after iron — and is present in every cell & it is necessary for the activity of over 300 enzymes that aid in metabolism, digestion, nerve function and many other processes

Recommended in :

★ Jaundice

Avoids reflux glyconenosis
Spares energy loss in glucose metabolism

★ Pregnancy / Surgery

Promotes Mitotic Cellular Division
Formation of collagen tissues
Healing process

★ Hyper Pyrexia/Malaria

Supplies instant & consistent energy
Does not cause ketosis
Ensures early recovery

★ Paediatrics

Promotes growth with protein sparing action
for Hyper active kid with stunted growth



Indications:

- ★ A rational combination that does not overload the liver

Also available :

FLUGEM-CDZTM

Vitamin C 100 mg Vitamin D 200 IU + Zinc 10 mg.
Syrup 100 ml.

FLUGEM-PDTM

Sodium Chloride 0.65%
Chloride Solution 0.012 % Nasal Drop

FLUGEM-ECZTM Ensures Rhythm in life

In anaemia

IROYAN-XT[®]

Ferrous Ascorbat 100 mg + Folic Acid 1.5 mg + Zinc 61.8 mg Tablets/Syrup/Injection

FERROUS ASCORBAT

This medication is an iron supplement used to treat or prevent low blood levels of iron (such as those caused by anemia or during pregnancy). Ascorbic acid (vitamin C) improves the absorption of iron from the stomach.

Folic Acid with Zinc

This combination product contains a mineral (iron) along with 3 vitamins (vitamin C, vitamin B12, and folic acid). It is used to treat or prevent a lack of these nutrients which may occur in certain health conditions (e.g., anemia, pregnancy, poor diet, surgery recovery).

- ★ **Synthetic molecule of ascorbic acid and iron**
- ★ **Ascorbic acid enhances absorption of Iron**
- ★ **Highest bioavailability ensures faster Hb rise**
- ★ **Least incidences of GI irritation unlike conventional Irons**
- ★ **Exhibits established safety profile**

Indications:

- ★ **Iron Deficiency Anaemia**
- ★ **Rapid Growth & Development**
- ★ **Post-Surgical Conditions**
- ★ **Pregnancy & Lactation**
- ★ **Dietary Insufficiency**
- ★ **Chronic or Acute Blood Loss**
- ★ **during menstruation & Surgery**



Also available :

IROYAN[®]

**Ferrous Ammonium Citrate 160 mg +
Elemental Iron 32 mg + Vitamin-B12 15 mcg
+ Folic Acid 1.5 mg Syrup 300 ml.**

IROYAN-100[®]

**Ferric Hydroxide Complex with
Sucrose Elemental Iron 100 mg
Injection**

IROYAN[®] The trusted hematinic for your trusted hands

Ensure complete eradication with...

ITRCON-200[®]

Itraconazole 200 mg Capsule

ITRACONAZOLE

capsules are used to treat fungal infections of the toenails. Itraconazole oral solution (liquid) is used to treat yeast infections of the mouth and throat or of the esophagus (tube that connects the throat to the stomach). Itraconazole is in a class of antifungals called triazoles.

- Itraconazole is a useful and safe agent in empirical antifungal therapy
- Broad spectrum of action with efficacy against aspergillosis, Histoplasmosis,
- Candidiasis as well as fungal infection of toe nails and onychomycosis
- A potent fungi static that effective even in immuno compromised patients
- Itraconazole was tolerated significantly better the conventional AMB and also showed advantages regarding efficacy

Indications:

- ★ Aspergillosis
- ★ Cryptococcosis
- ★ Condidiiasis
- ★ Sporotrichosis & Mycosis

Also available :

ITRCON-0Z[®]

Ofloxacin 0.75%+ Ornidazole 2.0%+Itraconazole 1.0%+ Clobetasol 0.05%+Methyl paraben 0.20% +Propylparben 0.02% 15 gm.Tube

ITRCON-5[®]

Clobetasol Propionate, Nomycine Sulphate, Tolnaftate, Lodochlorohydroxyquinoline & Ketoconazole 15 gm. Tube



ITRCON-200[®] Fungal Intections can be tough to Eradicate

Discard Allergic Rhinitis out of Life

ITRCON-LM[®]

Montelukast 10 mg + Levocetirizine 5 mg Tablets/Syrup

MONTELUKAST

is used to control and prevent symptoms caused by asthma (such as wheezing and shortness of breath). It is also used before exercise to prevent breathing problems during exercise (bronchospasm). This medication can help decrease the number of times you need to use your quick relief inhaler.

LEVOCETIRIZINE

is an antihistamine used to relieve allergy symptoms such as watery eyes, runny nose, itching eyes/nose, and sneezing. It is also used to relieve itching and hives. It works by blocking a certain natural substance (histamine) that your body makes during an allergic reaction.

- Control both early & Late Phase reactions of AR
- Improves morning Peak Expiratory Flow & Decreases Daytime Asthma scores
- Better Asthma control during Allergy seasons
- Active against Pollen induced Allergy
- Improves Quality of life

Indications:

- ★ Seasonal allergic Rhinitis
- ★ Perennial allergic Rhinitis
- ★ Allergic Asthmatic conditions

Also available :

ITRCON-LM[®]

Montelukast 4 mg + Levocetirizine 2.5 mg
60 ml Syrup



ITRCON-LM[®]

Say Good bye to Allergies

An Ayurvedic Pain Oil

KETDIN[®]-OIL

An Ayurvedic Pain Oil 50 ml.

- ★ It is very effective in the treatment of sciatica, rheumatoid
- ★ It has immediate on set action & is very safe-absolutely a non-toxic drug.
- ★ It improves blood circulation & its supply to joints.
- ★ It removes the stiffness and inflammation
- ★ It has anti-inflammatory, spasmodic & analgesic properties

Indications:

- ★ Sciatica Pain
- ★ Arthritis
- ★ Rheumatism
- ★ Gout Pain
- ★ Neuralgic Pains
- ★ Myalgia

Also available :

KETDIN[®]-50

Nandrolone Decanoate **Injection**



KETDIN[®]-OIL The trusted hematinic for your trusted hands

Cough Less ... Expectorate More

KOFHOT-AX[®]

Terbutaline 1.25 mg + Guaifenesin 50 mg + Ambroxol 15 mg + Menthol 2.5 mg / 100 ml. Syrup

TERBUTALINE

used to prevent and treat wheezing, shortness of breath, and chest tightness caused by asthma, chronic bronchitis, and emphysema. Terbutaline is in a class of medications called beta agonists. It works by relaxing and opening the airways, making it easier to breathe.

AMBROXOL

is indicated as "secretolytic therapy in bronchopulmonary diseases associated with abnormal mucus secretion and impaired mucus transport. It promotes mucus clearance, facilitates expectoration and eases productive cough, allowing patients to breathe freely and deeply".

GUAIFENESIN

is used to relieve chest congestion. Guaifenesin may help control symptoms but does not treat the cause of symptoms or speed recovery. Guaifenesin is in a class of medications called expectorants.

MENTHOL

As a topical analgesic, it is used to relieve minor aches and pains, such as muscle cramps, sprains, headaches and similar conditions, alone or combined with chemicals such as camphor, eucalyptus oil or capsaicin.

Indications:

- ★ Liquefied Sputum
- ★ Dilates Bronchi
- ★ Facilitates smooth expectoration
- ★ Relieves Broncho Spasm
- ★ Control Cough
- ★ Rapid bronchial ventilation
- ★ Sage for diabetic Patient

Also available :

KOFHOT-AX[®] Junior

Terbutaline 1.25 mg + Guaifenesin 50 mg +
Ambroxol 15 mg + Menthol 2.5 mg / 5ml. 60 ml Syrup



KOFHOT-AX[®]

An ideal and effective Bronchodilator

Discard Allergic RhinaStop to Dry Hacking Cough

KOFHOT-DX[®]

Dextromethorphan 10 mg +Phenylephrine Hydrochloride 5 mg+
Chlorpheniramine Maleate 2 mg + Menthol 2.5 mg Syp

DEXTROMETHORPHAN

is used to temporarily relieve cough caused by the common cold, the flu

CHLORPHENIRAMINE

relieves red, itchy, watery eyes; sneezing; itchy nose or throat; and runny nose caused by allergies, hay fever, and the common cold. Chlorpheniramine helps control the symptoms of cold or allergies but will not treat the cause of the symptoms or speed recovery.

PHENYLEPHRINE

Phenylephrine is used to relieve nasal discomfort caused by colds, allergies, and hay fever. It is also used to relieve sinus congestion and pressure.

MENTHOL

As a topical analgesic, it is used to relieve minor aches and pains, such as muscle cramps, sprains, headaches and similar conditions, alone or combined with chemicals such as camphor, eucalyptus oil or capsaicin.


Indications:

- ★ Effective Cough Suppressant
- ★ Allergic Rhinitis
- ★ Nasal Irritation

Also available :

KOFHOT-DX[®] Junior

Dextromethorphan 10 mg +Phenylephrine Hydrochloride 5 mg+
Chlorpheniramine Maleate 2 mg + Menthol 2.5 mg - 60 ml Syrup



KOFHOT-DX[®] Choose the right Cough Syrup for Right Treatment

Best Combination for Healthy airways

KOFHOT-LS[®]

Levosalbutamol 1 mg + Ambroxol Hydrochloride 30 mg
+ Guaifenesin 50 mg - 100ml Syrup

LEVOSALBUTAMOL

is used to relieve symptoms of asthma and chronic obstructive pulmonary disease (COPD) such as coughing,

GUAIFENESIN

is used to relieve chest congestion. Guaifenesin may help control symptoms but does not treat the cause of symptoms or speed recovery. Guaifenesin is in a class of medications called expectorants.

AMBROXOL

is indicated as "secretolytic therapy in bronchopulmonary diseases associated with abnormal mucus secretion and impaired mucus transport. It promotes mucus clearance, facilitates expectoration and eases productive cough, allowing patients to breathe freely and deeply".

Indications:

- ★ Chronic Conditions related to Bronchitis
- ★ Asthma
- ★ Chronic obstructive Pulmonary Disease

Also available :

KOFHOT-LS[®] Junior

Levosalbutamol 1 mg + Ambroxol Hydrochloride 30 mg
+ Guaifenesin 50 mg - 60ml Syrup



KOFHOT-LS[®] Clears mucus from the chest

To Cover Aerobes & Anaerobes

LOVTEK-0ZTM

Levofloxacin 250 mg + Ornidazole 500 mg **Tablets**

Levofloxacin 125 mg + Ornidazole 125 mg **Syrup**

LEVOFLOXACIN

is used to treat a variety of bacterial infections. This medication belongs to a class of drugs known as quinolone antibiotics. It works by stopping the growth of bacteria. This antibiotic treats only bacterial infections.

ORNIDAZOLE

Ornidazole is an antibiotic used to treat protozoan infections.

A synthetic nitroimidazole, it is commercially obtained from an acid-catalyzed reaction between 2-methyl-5-nitroimidazole and epichlorohydrin.

- ★ The Effective & Safe Combination
- ★ Twice as Potent as ofloxacin
- ★ Post antibiotic effect of 35-59 days
- ★ Better tolerability than ofloxacin
- ★ Ornidazole has wide coverage of anaerobes & protozoal infection


Indications:

- ★ Colitis
- ★ Amoebiasis
- ★ Gastroenteritis
- ★ RTIs
- ★ UTIs

Also available:

LOVTEK-500TM

Levofloxacin 500 mg **Tablets**



LOVTEK-0ZTM The **STRENGTH** to **STRIKE HARD** against infections

A natural treatment for skin

LULKEMTM

Luliconazole 1.0% w/w 15 gm Cream

LULICONAZOLE

Luliconazole, trade names Luzu among others, is an imidazole antifungal medication. As a 1% topical cream, It is indicated for the treatment of athlete's foot, jock itch, and ringworm caused by dermatophytes such as *Trichophyton rubrum*, *Microsporum gypseum* and *Epidermophyton floccosum*

is used to treat tinea pedis (athlete's foot; fungal infection of the skin on the feet and between the toes), tinea cruris (jock itch; fungal infection of the skin in the groin or buttocks), and tinea corporis (ringworm; fungal skin infection that causes a red scaly rash on different parts of the body).

Indications:

- ★ Ringworm (Tinea Corporis),
- ★ Jock Itch (Tinea Cruris)
- ★ Athlete's Foot (Tinea Pedis).



LULKEMTM

treat the symptoms of Ringworm

In the management of Nosocomial Infection

MEKNEM-1000[®]

Meropenem 1000 mg. Injection

MEROPENEM

Used to treat skin and abdominal (stomach area) infections caused by bacteria and meningitis (infection of the membranes that surround the brain and spinal cord) in adults and children 3 months of age and older. Meropenem injection is in a class of medications called antibiotics.

- Meropenem is an ultra-broad-spectrum injectable antibiotic used to treat a wide variety of infections
- Highly resistant to beta-lactamase & cephalosporinase
- Superior to imipenem
- Effective even against mixed infections.

Indications:

- ★ Septicaemia
- ★ Bacterial Meningitis
- ★ Febrile Neutropenia
- ★ Complicated intra abdominal Infection
- ★ Skin and Skin Structure Infection



MEKNEM-1000[®]

Empirical Choice, Ensure Efficacy

*Meet the challenges of severe gram
negative Infections*

MIKTER[®] $\frac{250 \text{ mg}}{500 \text{ mg}}$

Amikacin Sulphate 250 mg / 500 mg Injection

AMIKACIN

is used to treat certain serious infections that are caused by bacteria such as meningitis (infection of the membranes that surround the brain and spinal cord) and infections of the blood, abdomen (stomach area), lungs, skin, bones, joints, and urinary tract

- Stable against aminoglycoside inactivating enzymes
- Rapid and complete absorption from injections site
- Spectrum broadest of the group
- High susceptibility against broad range of gram negative pathogens
- Enhanced activity against *Pseudomonas aeruginosa*
- High patient tolerability with safety profile

Indications:

- ★ Community Acquired Pneumonia
- ★ Hospital Acquired Pneumonia
- ★ Acute & Chronic Bronchitis
- ★ Skin & Soft Tissue Infections
- ★ Urinary Tract Infections
- ★ Respiratory Tract infections

Also available :

MIKTER-250[®]

Amikacin Sulphat 250 mg Injection



MIKTER-500[®] Meets the challenges of severe Infections

Perfect Strike against Multiply Infections

MIXMOX-TM 250 500 LB

Amoxycillin 250 mg **Tablets**

Amoxycillin 500 mg + Lactobacillus Sporogenes 60 millions **Capsules**

AMOXYCILLIN

AN is used to treat a range of infections caused by bacteria. These may be infections of the chest (pneumonia), tonsils (tonsillitis), sinuses (sinusitis), urinary and genital tract, skin and fleshy tissues. Amoxycillin AN works by killing the bacteria that cause these infections.

- ★ Broad spectrum of coverage
- ★ Protection from betalactamase inhibition
- ★ Long half-life offers excellent cure-rate in urinary tract infections
- ★ High patient tolerability & safety profile
- ★ Better pharmacokinetic profile compared to Cloxacillin
- ★ Shows intra and extracellular activities against Staphylococcus aureus

Indications:

- ★ Sinusitis
- ★ Pharyngitis & Tonsillitis
- ★ Skin & Soft Tissue Infections
- ★ Urinary Tract Infections
- ★ Abdomen Infections
- ★ Dental Abscess
- ★ Post Surgery
- ★ Septicaemia


Also available :

MIXMOX-TMACL

Amoxycillin 250 mg + Cloxacillin 250 mg +
Lactobacillus Sporogenes 60 millions **Capsule**

LACTOBACILLUS

Lactobacillus is a genus of Gram-positive, aerotolerant anaerobes or microaerophilic, rod-shaped, non-spore-forming bacteria. They are a major part of the lactic acid bacteria group (i.e., they convert sugars to lactic acid).



MIXMOX-TM250/500LB Treat Infections with Care

The DUAL POWER Anti Microbial With Authority"

MIXMOX-CLTM 375 625

Amoxicillin 250 mg + Clavulanic Acid 125 mg Tablets

Amoxicillin 500 mg + Clavulanic Acid 125 mg + Lactobacillus Sporogenes 60 m.s. Tablets

AMOXYCILLIN

AN is used to treat a range of infections caused by bacteria. These may be infections of the chest (pneumonia), tonsils (tonsillitis), sinuses (sinusitis), urinary and genital tract, skin and fleshy tissues. Amoxicillin AN works by killing the bacteria that cause these infections.

LACTOBACILLUS SPOROGENES

- Universally Occurring beneficial bacteria. It is a gram-positive spore-forming, lactic acid producing probiotic.
- An Inhibitory effect & gives help in acute & chronic intestinal conditioning after antibiotic.
- Support the growth of friendly bacteria and help Maintain a healthy balance of micro flora in the intestinal environment

Combination with betalactamase Inhibitor results In an antibiotic with increased spectrum of action with coverage against Staphylococcus aureus. E. coli, Proteus, Klebsiella. Salmonella, Shigella, H influenza. N Gonorrhoea a Bacteroids fragllis

- Well tolerated by patients with high safety prali
- Recommended as first line drug of choice.

Indications:

- Skin & **Saft** Tissue Infections
- Biliary Tract Infections
- Intra Abdominal **Sepsis**
- Sinusitis, Pharyngitis & Tonsillitis
- Gynaecological Infections
- Pneumonia & Bronchitis
- Urinary **Tract** Infections

Also available :

MIXMOX-CLTM

**Amoxicillin 200 mg + Clavulanic Acid 28.5 mg
Dry Syrup with Water**

CLAVULANIC ACID

is a β -lactam drug that functions as a mechanism-based β -lactamase inhibitor. While not effective by itself as an antibiotic, when combined with penicillin-group antibiotics, it can overcome antibiotic resistance in bacteria that secrete β -lactamase, which otherwise inactivates most penicillins.



MIXMOX-CLTM 375 625

Treat Infections with Care

Discard Allergic Rhinitis out of Life

NRUVIZ-800TM

Piracetam 800 mg Tablet / Injection

PIRACETAM

is most commonly used for breath-holding attacks, seizure disorder (epilepsy), dizziness (vertigo), a learning disorder marked by difficulty reading (dyslexia), and a movement disorder often caused by antipsychotic drugs (tardive dyskinesia).

Indications:

- ★ Alzheimer's Disease
- ★ Dementia
- ★ Memory Dysfunction
- ★ Alcoholism
- ★ Raynaud's Phenomenon
- ★ Deep Vein Thrombosis (DVT)
- ★ Stroke
- ★ Tardive Dyskinesia
- ★ Dyslexia
- ★ Brain Injury
- ★ Vertigo.

Also available :

NRUVIZ-800TM

Piracetam 200 mg

Injection for IV Use



NRUVIZ-800TM

Say Good bye to Allergies

The Mega Power of Combat

OKOCEFTM

250 mg
500 mg
1000 mg

Certrioxone Sodium 250/500/1000 mg **Injection**

CERTRIAXONE SODIUM

Injection is an antibacterial drug used to treat conditions such as lower respiratory tract infections, skin and skin structure infections, urinary tract infections, pelvic inflammatory disease, bacterial septicemia, bone and joint infections, and meningitis.

- ★ *Broad spectrum, bactericidal, third generation cephalosporin devivative*
- ★ *Effective against wide spectrum of sensitive gram +ve, gram-ve and anaerobic bacterial strains.*
- ★ *High affinity for pencicillin binding proteins with varying site of activity.*

Indications:

- ★ Typhoid Fever
- ★ Otitis Media
- ★ Gonorrhoea
- ★ Respiratory Tract Infections
- ★ Urinary Tract Infections
- ★ Switch Therapy



OKOCEFTM belongs to a class of drugs known as cephalosporin antibiotics

Positive approach & Powerful in action
when there is no alternative choice

OKOCEF-STM 375 mg 1500 mg

Ceftriaxone 1000 mg + Sulbactam 500 mg **Injection**
Ceftriaxone 250 mg + Sulbactam 125 mg **Injection**

CEFTRIAXONE

is used to treat many kinds of bacterial infections, including severe or life-threatening forms such as E. coli, pneumonia, or meningitis. Ceftriaxone is also used to prevent infection in people having certain types of surgery.

SULBACTAM

is in a class of medications called beta-lactamase inhibitors. It works by preventing bacteria from destroying ampicillin. Antibiotics such as ampicillin and sulbactam injection will not work for colds, flu, or other viral infections.

Indications:

- ★ Lower respiratory tract infections
- ★ Skin & Skin structure infections
- ★ Intra-Abdominal infections
- ★ Sexually transmitted disease
- ★ Acute bacterial otitis media
- ★ Pelvic inflammatory disease
- ★ Surgical prophylaxis
- ★ Bacterial septicemia
- ★ Bone & Joint infections
- ★ Meningitis
- ★ Complicated & uncomplicated urinary tract infections



OKOCEFTM belongs to a class of drugs known as cephalosporin antibiotics

Positive approach & Powerful in action
when there is no alternative choice

OKOCEF-TZTM $\frac{1.125 \text{ gm}}{281.25 \text{ mg}}$

Ceftriaxone 1000 mg + Tazobactam 125 mg **Injection**
Ceftriaxone 250 mg + Tazobactam 31.25 mg **Injection**

CEFTRIAXONE

is used to treat many kinds of bacterial infections, including severe or life-threatening forms such as E. coli, pneumonia, or meningitis. Ceftriaxone is also used to prevent infection in people having certain types of surgery.

Indications:

- ★ Lower respiratory tract infections
- ★ Skin & Skin structure infections
- ★ Intra-Abdominal infections
- ★ Sexually transmitted disease
- ★ Acute bacterial otitis media
- ★ Pelvic inflammatory disease
- ★ Surgical prophylaxis
- ★ Bacterial septicemia
- ★ Bone & Joint infections
- ★ Meningitis

Also available :

OKOCEF-TZTM 281.25 mg

Ceftriaxone 250 mg + Tazobactam 31.25 mg **Injection**

TAZOBACTAM

is in a class called beta-lactamase inhibitor. It works by preventing bacteria from destroying piperacillin. Antibiotics such as piperacillin and tazobactam injection will not work for colds, flu, or other viral infections.



OKOCEF-TZTM belongs to a class of drugs known as cephalosporin antibiotics

In Gerd & Dyspepsia

PIKPAN-DSRTM

Pantoprazole 40 mg + Domperidone SR 30 mg Capsule

PANTOPRAZOLE

Pantoprazole is a proton pump inhibitor that decreases the amount of acid produced in the stomach. Pantoprazole is used to treat erosive esophagitis (damage to the esophagus from stomach acid caused by gastroesophageal reflux disease, or GERD) in adults

DOMPERIDONE

Domperidone is a medicine that increases the movements or contractions of the stomach and bowel. Domperidone is also used to treat nausea and vomiting caused by other drugs used to treat Parkinson's Disease.

Indications:

- ★ Reflux Oesophagitis
- ★ Non Ulcer Dyspepsia
- ★ Acid Peptic Ulcer
- ★ Zollinger Ellison Syndrome
- ★ Prevents acid Regurgitation & facilitates gastric emptying
- ★ Proven Gastrokinetic



Also available :

PIKPAN-40TM

Pantoprazole 40 mg Tab

PIKPAN-DTM

Pantoprazole 40 mg + Domperidone 20 mg Tab.

PIKPAN-IVTM

Pantoprazole 40 mg Injection

PIKPAN-DSRTM Relief For The "whole Day"...

For hard to break pathogens

POPNEM-PT[®]

Piperacillin 4.0 gm + Tazobactam 500 mg Injection

PIPERACILLIN

Piperacillin and tazobactam injection is used to treat pneumonia and skin, gynecological, and abdominal (stomach area) infections caused by bacteria. Piperacillin is in a class of medications called penicillin antibiotics. It works by killing bacteria that cause infection.

TAZOBACTAM

Tazobactam is in a class called beta-lactamase inhibitor. It works by preventing bacteria from destroying piperacillin. Antibiotics such as piperacillin and tazobactam injection will not work for colds, flu, or other viral infections.

- Broad spectrum of coverage against aerobic gram positive, gram negative & resistant pathogens
- Acts against tough to kill pseudomonas sp.
- Easily tolerated by patients with high safety profile

Indications:

- ★ Bacteremia & Sepsis
- ★ Meningitis
- ★ Pneumonia & Bronchitis
- ★ Skin & Soft Tissue Infection
- ★ Post Surgical Condition



POPNEM-PT[®] Antibiotic Combination with Tremendous Power

Effective **Relief** for moderate to severe **PAIN**

QUKNIM-PTM

Nimesulide 100 mg + Paracetamol 325 mg Tablets

NIMESULIDE

- ◆ Selective COX-2 Inhibitor, Non-Steroidal Anti-Inflammatory Drug (NSAID)
- ◆ Potent Analgesic, Anti Pyretic & Anti-Inflammatory activity

PARACETAMOL

- ◆ Analgesic and antipyretic properties
- ◆ Weak anti inflammatory action

Complete inflammatory Control

Excellent antipyretic effect

Rapid & adequate analgesia

Good G.I. tolerance

Better accepted in asthma

Indications:

- ★ Osteoarthritis
- ★ Post-Operative Pain & inflammation
- ★ Fractures
- ★ Low Back Pain & PID
- ★ Dental Pain
- ★ Tonsillitis

Also available :

QUKNIM-MPTM

Mefenamic Acid 100 mg +
Paracetamol 250 Mg **Suspension**



QUKNIM-PTM Unique pain Reliever command

This world is full of Similar things

RIKRAB-L[®]

Rebeprozole 20 mg + Levosulpirids SR 75 mg Capsules

RABEPRAZOLE

is a proton pump inhibitor that decreases the amount of acid produced in the stomach. Rabeprazole is used short-term to treat symptoms of gastroesophageal reflux disease (GERD) in adults and children who are at least 1 year old.

LEVOSULPIRIDE

is a atypical antipsychotic. It works by increasing the release of acetylcholine (a chemical messenger). This increases the movement of stomach and intestines, and prevents reflux (acid going up to the food pipe).

Indications:

- ★ GERD Reflux Disorders
- ★ Diabetic Gastroparesis



Also available :

RIKRAB-DSR[®]

Rebeprozole Sodium 20 mg +
Domperidone SR 30 mg Capsules

RIKRAB-20[®]

Rebeprozole Sodium 20 mg Tablets

RIKRAB-L[®] Relief For The "whole Day"...

Improve Cellular Network of the Body

ROJVIT-Q10[®]

Co Enzyme Q-10 + Omega 3 Fatty Acid + Lycopene + Lutein Cyanocobalamin
+ Vitamin & Minerals Softgel Capsules

- ★ This Product is antioxidant formulation beneficial for the overall health
- ★ Co-enzyme @10 may help in congestive heart failure & Blood sugar control
- ★ Improve density of sperm in men with certain types of infertility
- ★ Lycopene can boost sperm concentration in men
- ★ EPA improve immune system & NSAID response
- ★ Protects against cell & tissue damage by scavenging free radicals
- ★ Important role in eye function & Photo-protective effect on human skin

Indications:

- ★ Boost Energy Normalize Blood Pressure
- ★ Enhance Immune System
- ★ Increase Muscles Quality
- ★ Motility Counts



Also available :

ROJVIT-LM[®]

Beacarotene + Lycopene + Lutein
+ Bilberry Extract + Grape
Seed Extract + Green Tea + Etact +
Vitamin + Minerals + Antioxidant
Softgel Capsules

ROJVIT-LM[®]

Lycopene + Niacinamide + Pyridoxine
Hydrochloride + Cyanocobalamin + Folic Acid
+ Sodium + Zinc + Potassium Iodine +
Manganese + Cupric Sulphate
Syrup 200 ml.

ROJVIT-DHA[®]

Energy Booster
Protein Powder 200 gram

ROJVIT[®]

Life is fun with good health

Protects Rejuvenates & Regenerates Liver Dynamically

SUCBEX-L

Silymarin, L-ornithine L-aspartate & Vitamins **Capsules/Syrup**

SILYMARIN :

A Potent Natural Antioxidant

L-ORNITHINE L-ASPARTATE :

Increases the rate of Energy Production in the liver cells by stimulating kreb's Cycle.


MULTIVITAMINS :

Corrects Micronutrient Deficiency

Which is Commonly Associated with Chronic Liver Disorder.

Indications:

- ★ Acute & Chronic Hepatitis
- ★ Chronic Alcoholic Liver Damage
- ★ Patty Liger
- ★ Jaundice
- ★ Liver Cirrhosis
- ★ Prevents Liver Damage caused by free radicals
- ★ Prevents Hepatic Lipid Peroxidation
- ★ Increases Glutathione Synthesis Inside the Livre Cells
- ★ Stimulates Protein Synthesis & Helps in the Production of the new liver cells to replace the damaged old ones



SUCBEX-L belongs to a class of drugs known as cephalosporin antibiotics

Digests everything

SUCBEX-ZYMTM

Fungal Diastase 20mg+Papain 30mg+Vitamin B1
1mg+Vitamin B12 1mcg + Nicotinamide 15mcg + D Panthenol 1.25 mg 200 ML

Pepsin + Fungal Diastase

is an endopeptidase that breaks down proteins into smaller peptides. It is produced in the chief cells of the stomach lining and is one of the main digestive enzymes in the digestive systems of humans and many other animals, where it helps digest the proteins in food.

NIACINAMIDE (

nicotinamide) is a form of vitamin B3 (niacin) and is used to prevent and treat niacin deficiency (pellagra). Niacin deficiency can cause diarrhea, confusion (dementia), tongue redness/swelling, and peeling red skin.

D-PANTHENOL

is used for the relief of burning, itching, the discomfort of eyes caused due to dryness or exposure to the sun or the wind. It also helps in the process of healing of the conjunctival and corneal epithelial damage.

Indications:

- ★ Anorexia
- ★ Dyspepsia
- ★ Appetite Stimulant
- ★ Pancreatic insufficiency
- ★ Chronic Pancreatitis

Also available :

SUCBEX-ZYMTM

Fungal Diastase 20mg+Papain 30mg+Vitamin B1
1mg+Vitamin B12 1mcg + Nicotinamide 15mcg +
D Panthenol 1.25 mg **100 ml.**



SUCBEX-ZYMTM

Fungal Diastase 20mg+Papain 30mg+Vitamin B1
1mg+Vitamin B12 1mcg + Nicotinamide 15mcg +
D Panthenol 1.25 mg **30 ml Drop**

SUCBEX-ZYMTM

A complete Solution to the Heavy meals

Treatment of variety of chronic Cholestatic Liver Diseases

UROTEKTM-300

Ursodeoxycholic Acid 300 mg Tablets

URSODEOXYCHOLIC ACID

is a bile acid found in the bile of bears (Ursidae) as a conjugate with taurine. Used therapeutically, it prevents the synthesis and absorption of cholesterol and can lead to the dissolution of gallstones. It has a role as a human metabolite and a mouse metabolite.

- ★ The Secondary bile acid, which are metabolic byproducts of intestinal bacteria
- ★ Reduces the ratio of cholesterol to bile salts plus phospholipids in bile, causing desaturation of cholesterol saturated bile
- ★ Rapidly conjugated with glycine & taurine in the liver

Indications:

- ★ Biliary Cirrhosis
- ★ Gallbladder Disease
- ★ Non alcoholic fatty liver disease

Also available :

UROTEKTM-LV

Livar Tonic Ayurvedic



UROTEKTM-300

This Medication may also be used by Women who are not able to produce enough estrogen (due to hypogonadism, primary ovarian failure)

Combine, It Multiplies The Killer Strength

ZEDZON-S[®]

Cefoperazone 500 Mg + Sulbactam 500 Mg **Injection**
Cefoperazone 1000 Mg + Sulbactam 500 mg **Injection**

CEFOPERAZONE

"A 3rd Generation Cephalosporin Antibiotic with Broad Spectrum Bactericidal Action. In combination with Sulbactam action reported to be multiplied."

SULBACTAM

Enhances the activity of Penicilins and CEPHALOSPORINS against many resistant strains of bacteria"

Indications:

- ★ Gonorrhea
- ★ Urinary Tract Infections
- ★ Pelvic inflammatory Disease
- ★ Septicaemia
- ★ Bacteremia
- ★ Respiratory Tract Infections

Also available :

ZEDZON-SB[®]

Cefoperazone 1000 Mg +
Sulbactam 500 mg **Injection**



ZEDZON-S[®] "Even the Beta Lactamase Produces Destroyed ... Ruthlessly"